

An abstract graphic design on the left side of the slide. It features a dark blue background with various patterns and shapes. There is a large green shape with a white dotted pattern, a yellow shape with a white dotted pattern, and a yellow shape with a white plus sign pattern. There are also several yellow wavy lines and a pink oval. A thin pink arc is visible on the right side of the graphic.

COVID-19 VACCINATION EDUCATION

Benefits, Risks and Potential
Side Effects

Education on COVID-19 Vaccination

- All residents and staff must be offered the vaccination.
- Screening individuals prior to offering the vaccination prior to immunization, medical precautions and contraindications is necessary to determine if the person is an appropriate candidate to receive the vaccination.
- We are not required to educate and offer COVID-19 vaccinations to delivery and repair contractors or volunteers (less than once weekly).

Education on COVID-19 Vaccination

(continued)

- Residents and staff may request the vaccine, if they missed it at a prior date OR if it was declined at a prior date.
- All vaccinations are conducted in accordance with CDC, ACIP, FDA and manufacturer guidelines.
- The community does adhere to current infection prevention and control recommendations when preparing and administering vaccines.
- Administration of the vaccine includes monitoring of the recipient for adverse reactions including evaluation and management of post-vaccination adverse reaction.

VACCINE FACTS

TOPIC	JANSSEN (J&J)	MODERNA	PFIZER-BIONTECH
What is the vaccine?	Unapproved vaccine that may prevent COVID-19	Unapproved vaccine that may prevent COVID-19	Unapproved vaccine that may prevent COVID-19
What age group can receive the vaccine?	FDA emergency use authorization for 18 years of age and older	FDA emergency use authorization for 18 years of age and older	FDA emergency use authorization for 12 years of age and older
Who should not get the vaccine?	<ul style="list-style-type: none">• Had a severe allergic reaction to any ingredient of the vaccine (see handout)	<ul style="list-style-type: none">• Had a severe allergic reaction to any ingredient of the vaccine (see handout)• Had a severe allergic reaction after a previous dose of the vaccine	<ul style="list-style-type: none">• Had a severe allergic reaction to any ingredient of the vaccine (see handout)• Had a severe allergic reaction after a previous dose of the vaccine

TOPIC	JANSSEN (J&J)	MODERNA	PFIZER-BIONTECH
Tell your provider before you get the vaccine	<ul style="list-style-type: none"> • Have any allergies • Have a fever • Have a bleeding disorder • On a blood thinner • Are immunocompromised • Take medicine that affects your immune system • Are pregnant or plan to become pregnant • Are breastfeeding • Received another COVID-19 vaccine 	<ul style="list-style-type: none"> • Have any allergies • Have a fever • Have a bleeding disorder • On a blood thinner • Are immunocompromised • Take medicine that affects your immune system • Are pregnant or plan to become pregnant • Are breastfeeding • Received another COVID-19 vaccine 	<ul style="list-style-type: none"> • Have any allergies • Have a fever • Have a bleeding disorder • On a blood thinner • Are immunocompromised • Take medicine that affects your immune system • Are pregnant or plan to become pregnant • Are breastfeeding • Received another COVID-19 vaccine
How is vaccine given?	Single dose injection into the muscle	Two (2) doses given one (1) month apart into the muscle	Two (2) doses given three (3) weeks apart into the muscle

BENEFITS

TOPIC	JANSSEN (J&J)	MODERNA	PFIZER-BIONTECH
What are the benefits of the COVID-19 vaccine?	On-going clinical trial has been shown to prevent COVID-19 following a single dose.	On-going clinical trial has been shown to prevent COVID-19 following two (2) doses given one (1) month apart.	On-going clinical trial has been shown to prevent COVID-19 following two (2) doses given three (3) weeks apart.
What is the duration of the vaccine?	Duration of protection against COVID-19 is currently unknown.	Duration of protection against COVID-19 is currently unknown.	Duration of protection against COVID-19 is currently unknown.

RISKS

TOPIC	JANSSEN (J&J)	MODERNA	PFIZER-BIONTECH
What are the risks of the vaccine?	<ul style="list-style-type: none">• Injection site reactions: pain, redness of the skin and swelling• General side effects: headache, feeling tired, muscle aches, nausea and fever• Remote chance of severe allergic reaction usually occurs within a few minutes to one (1) hour after receive the dose	<ul style="list-style-type: none">• Injection site reactions: pain, tenderness and swelling of the lymph nodes in the same arm of the injection, swelling (hardness), and redness• General side effects: fatigue, headache, muscle pain, joint pain, chills, nausea and vomiting, and fever• Remote chance of severe allergic reaction usually occurs within a few minutes to one (1) hour after receive the dose	<ul style="list-style-type: none">• Injection site reactions: swelling, redness, swollen lymph nodes, arm pain• General side effects: non-severe allergic reactions (rash, itching, hives, swelling of face), tiredness, fatigue, headache, muscle pain, joint pain, chills, nausea and vomiting, diarrhea, feeling unwell, and fever• Remote chance of severe allergic reaction usually occurs within a few minutes to one (1) hour after receive the dose

TOPIC	JANSSEN (J&J)	MODERNA	PFIZER
Signs of a severe allergic reaction can include?	<ul style="list-style-type: none"> • Difficulty breathing • Swelling of face and throat • Fast heartbeat • Bad rash all over body • Dizziness and weakness 	<ul style="list-style-type: none"> • Difficulty breathing • Swelling of face and throat • Fast heartbeat • Bad rash all over body • Dizziness and weakness 	<ul style="list-style-type: none"> • Difficulty breathing • Swelling of face and throat • Fast heartbeat • Bad rash all over body • Dizziness and weakness
Can blood clots occur?	Blood clots involving blood vessels in the brain, abdomen and legs along with low levels of platelets have occurred in some people.	None reported.	None reported.

TOPIC	JANSSEN (J&J)	MODERNA	PFIZER
Symptoms of a blood clot after receiving the vaccine.	<ul style="list-style-type: none"> • Shortness of breath • Chest pain • Leg swelling • Persistent abdominal pain • Severe or persistent headaches or blurred vision • Easy bruising or tiny blood spots under the skin beyond the site of the injection 	Does not apply.	Does not apply.
What should I do about side effects?	<ul style="list-style-type: none"> • If you experience a severe allergic reaction, call 911 or go to the nearest hospital 	If you experience a severe allergic reaction, call 911 or go to the nearest hospital	If you experience a severe allergic reaction, call 911 or go to the nearest hospital

Frequently Asked Questions (FAQ's)

TOPIC	JANSSEN (J&J)	MODERNA	PFIZER
What if I am pregnant or breastfeeding?	Discussion options with your healthcare provider.	Discussion options with your healthcare provider.	Discussion options with your healthcare provider.
Will the vaccine give me COVID-19?	NO. The vaccine does not contains SARS-CoV-2 and cannot give you COVID-19.	NO. The vaccine does not contains SARS-CoV-2 and cannot give you COVID-19.	NO. The vaccine does not contains SARS-CoV-2 and cannot give you COVID-19.
Where will my vaccination information be recorded?	It may be included in the state/local Immunization Information System (IIS) or other designated system.	It may be included in the state/local Immunization Information System (IIS) or other designated system.	It may be included in the state/local Immunization Information System (IIS) or other designated system.
Can I be charged an administration fee for receipt of the vaccine?	NO. At this time the provider cannot charge an out-of-pocket fee.	NO. At this time the provider cannot charge an out-of-pocket fee.	NO. At this time the provider cannot charge an out-of-pocket fee.

RESOURCES

- Janssen at www.janssencovid19.vaccine.com; Toll Free 1.800.565.4008
- Moderna at www.modernatx.com/covid19vaccine-eau; 1.866.663.3762 (1.866.MODERNA)
- Pfizer-Biontech, 1.877.2619 (1.877.VAX.CO19)
- Visit CDC at <https://www.cdc.gov/coronavirus/2019-ncov/index.html>
- Visit FDA at <https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-regulatory-and-policy-framework/emergency-use-authorization>
- Contact local or state public health department